

AC2600 MU-MIMO Wi-Fi Range Extender

Works with any Wi-Fi Router[‡]





Wi-Fi Dead-Zone Killer



Uninterrupted Streaming







Highlights

Eliminate Wi-Fi Dead Zones with Powerful Wi-Fi

The AC2600 MU-MIMO Wi-Fi Range Extender connects to your router wirelessly, strengthening and expanding its signal into areas it can't reach on its own, achieving speeds of 800 Mbps on the 2.4 GHz band and 1733 Mbps on the 5 GHz band.[†]



Separate 2.4 GHz and 5 GHz Wi-Fi bands allow more devices to connect to your network without reducing performance.



 4×4 MU-MIMO Improves overall speed and Wi-Fi throughput with 4× faster performance by simultaneous communication to multiple devices.[△]



Dual-Core CPU Power through multiple complex tasks with ease, delivering fast and stable overall performance



coverage.



capability.





8-Stream Dual Band

Beamforming Technology

Send targeted Wi-Fi signal to individual devices for stronger connection and farther

Access Point Mode

Create a new Wi-Fi access point to enhance your wired network with Wi-Fi

Easy Setup and Management

Via the WPS button / Tether app / Web UI.

Highlights

More Than A Traditional Wi-Fi Extender

Connect with any Wi-Fi router to boost your Wi-Fi range or to a OneMesh™ router to create a mesh network for seamless whole-home coverage.



Wi-Fi Dead-Zone Killer Eliminate weak signal areas with Wi-Fi coverage for the whole house.



One Wi-Fi Name

Stay connected to the same network name in every room.



Unified Management

Manage your mesh network from the Tether app or web UI.



Uninterrupted Streaming[§]

Enjoy uninterrupted streaming, surfing, and more—even when moving around your home.



Check the full list of OneMesh™ extenders and routers at https://tp-link.com/onemesh/compatibility

*More compatible devices coming soon

AC2600 Mesh Wi-Fi Extender

range extender.



Four External Antennas

Wi-Fi coverage.

the WPS button.

Gigabit Ethernet Port

high-bandwidth needs.



An Intelligent Signal light helps you quickly find the best location to install the



Features



Ease of Use

- Intuitive Web UI– Ensures quick and simple installation without hassle.
- Fast Encryption One-touch wireless security encryption with the WPS button
- Easy On/Off LED On/Off button allows users to turn LED on or off
- Hassle-free Management with Tether App Network management is made easy with the TP-Link Tether App, available on any Android or iOS device
- Online Upgrade Keeps you informed of the latest firmware and allows online updating on the web UI



Speed

- Ultimate Wireless Speed Combined wireless speeds of up to 800 Mbps (over 2.4GHz) and 1733 Mbps (over 5GHz)
 Simultaneous Dual Band – Separate Wi-Fi bands enable more devices to connect to your network without a drop in performance
- MU-MIMO Technology Simultaneously exchange data with several devices, achieving speeds which are 4× faster than standard AC extenders
- Support 802.11 ac Provides a data transfer rate 3 times faster than 802.11n for each stream
- Dual-core CPU 880MHz dual-core CPU makes multi-tasking easy and boosts data transfer rate

Reliability

Reliable Connection – Three adjustable external antennas for optimal Wi-Fi coverage and reliable wireless connections

Specifications

Hardware

- Ethernet Port: 1 10/100/1000Mbps RJ45 Port
- Button: WPS Button, Reset Button, LED On/Off Button, Power On/Off Button
- · Antenna: 4 External Antennas
- Power Consumption: CE: 15W
- · Dimensions (L × W × H): 163×86×40mm



For more information, please visit

http://www.tp-link.com/en/products/details/RE650.html

or scan the QR code left

Attention: This device may only be used indoors in all EU member states and EFTA countries.

Specifications are subject to change without notice. All the brands and product names are trademarks or registered trademarks of their respective holders.

[†]Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

⁺The product may not be compatible with routers or gateways with firmware that has been altered, is based on open source programs, or is non-standard or outdated.

 $^{\rm S}$ Uninterrupted Streaming is designed for devices that support the 802.11 k/v standard.

^aUse of MU-MIMO requires clients to also support MU-MIMO.

©2021 TP-Link

Wireless

- Wireless Standards: IEEE 802.11a/n/ac 5GHz, IEEE 802.11b/g/n 2.4GHz
- Frequency: 2.4GHz and 5GHz
- · Signal Rate: 800Mbps at 2.4GHz, 1733Mbps at 5GHz
- Transmit Power: CE: <20dBm(2.4GHz),<23dBm(5GHz)
- · Reception Sensitivity:

5GHz:

11a 6Mbps: -96dBm, 11a 54Mbps: -78dBm,

11ac VHT20 MCS8:-73dBm, 11ac VHT40 MCS9:-68dBm,

11ac VHT80 MCS9:-64dBm

2.4GHz:

11g 6Mbps: -96dBm, 11g 54Mbps: -79dBm,

11ac VHT20 MCS8: -74dBm, 11ac VHT40 MCS9: -69dBm

- Wireless Function: Enable/Disable Wireless Radio, Wireless Statistics
- Wireless Security: 64/128-bit WEP, WPA-PSK/WPA2-PSK encryptions

Others

- · Certification
- CE, RoHS
- · System Requirements

Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 8, 8.1, 10, MAC OS, NetWare, UNIX or Linux

Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0, or other Java-enabled browser

· Package Contents

AC2600 Wi-Fi Range Extender RE650

Quick Installation Guide

www.tp-link.com

TP-Link AC2600 MU-MIMO Wi-Fi Range Extender RE650